

### 08-07-00

#### **DERGOSITS & NOAH LLP** Four Embarcadero Center, Suite 1150 San Francisco, CA 94111 (415) 705-6377

Attorney's Docket No.: 375.05.01



**Box Patent Application** Asst. Commissioner for Patents Washington, D.C. 20231

#### NEW APPLICATION TRANSMITTAL

CERTIFICATION UNDER 37 CFR §1,10
hereby certify that this New Application and the documents referred to as enclosed herein are being deposited with the United States Postal Service on this date <u>August 4, 2000</u> , in an envelope bearing.
"This and Doct Office To Addressed Mailing Label Number EL546135039US addressed to.
Box Patent Application Asst. Compaissioner by Patents, Washington, D.C. 20231.
CONTRACTOR OF THE PARTY OF THE
By: Carofine Piable
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

SIR:

Transmitted herewith for filing is the patent application of Inventors: CHATANI, Masayuki

NETWORK-BASED METHOD AND SYSTEM FOR TRANSMITTING DIGITAL DATA TO A CLIENT Title: COMPUTER AND CHARGING ONLY FOR DATA THAT IS USED BY THE CLIENT COMPUTER USER

#### Enclosed are:

- The papers required for filing date under CFR §1.53(b):
  - Pages of specification (including claims);
  - Sheets of drawings;

X formal

informal.

- Declaration or oath (signed)
- Power of Attorney (signed)
- Assignment
- Information Disclosure Statement (with references)
- Fee Calculation
  - A preliminary amendment deleting multiple dependencies and placing the claims in proper U.S. format is enclosed.

#### **CLAIMS AS FILED**

	Number filed	Number extra*	Rate	Basic Fee \$690.00
Mark I Claims	16 - 20 =	0	X \$ 18.00	\$0.00
Total Claims Independent Claims	3 - 3 =	0	X \$ 78.00	\$0.00
Multiple dependent claim(s), if any		0	+ \$260.00	\$0.00

\*If less than zero, enter "0."

Filing Fee Calculation . . . . . . . . . . . . . . . . \$690.00

50% Filing Fee Reduction (if applicable) . . . . . . (\$0.00) Small Entity Statement - verified statement enclosed 7.

8. Other Fees

Recording Assignment [\$40.00] Other fees

\$ 0.00

(Specify:

Total Fees Enclosed

\$730.00

Payment of Fees 9.

- X Check in the amount of \$730.00 is enclosed.
- 10. Deposit Account

X The Commissioner is hereby authorized to charge any underpayment of fees associated with this communication or credit any overpayment to Deposit Account No. 04-0822. A duplicate copy of this sheet is enclosed.

August 4, 2000

Geoffrey T. Staniford Reg. No. 43,151

\$40.00

#### UNITED STATES PATENT APPLICATION

#### **FOR**

# NETWORK-BASED METHOD AND SYSTEM FOR TRANSMITTING DIGITAL DATA TO A CLIENT COMPUTER AND CHARGING ONLY FOR DATA THAT IS USED BY THE CLIENT COMPUTER USER

Inventor:

Masayuki Chatani

Prepared by:

DERGOSITS & NOAH LLP FOUR EMBARCADERO CENTER, SUITE 1150 SAN FRANCISCO, CA 94111 (415) 705-6377

Attorney's Docket No: 375.05.01

"Express Mail" mailing label number: EL546135039US

Date of Deposit: August 4, 2000

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service
"Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Assistant Commissioner for Patents, Washington, D. C. 20231

Caroline Pfahl

(Typed or printed thank of person mailing paper or fee)

(Signature of person mailing paper or fee)

August 4, 2000

(Date signed)

25

10

## NETWORK-BASED METHOD AND SYSTEM FOR TRANSMITTING DIGITAL DATA TO A CLIENT COMPUTER AND CHARGING ONLY FOR DATA THAT IS USED BY THE CLIENT COMPUTER USER

#### 5 FIELD OF THE INVENTION

The present invention relates generally to computer networks, and more specifically, to a system for distributing and receiving payment for distributed digital data.

#### BACKGROUND OF THE INVENTION

With the advent of the Internet and electronic commerce ("e-commerce) business models, many digital-based data products, such as computer software, games, CD-ROM (Compact Disk – Read Only Memory) based music, movies, and other digital content can be distributed over computer networks. Because of the high capacity storage capabilities of present digital media, such as CD-ROMS, many manufacturers may provide entire catalogs of products on single disks, rather than produce and stock different disks that include different product offerings. This allows producers to minimize different product offerings. Unfortunately, this system makes it difficult to charge customers based on particular products that the customers order and desire to use. Since customers are generally unwilling to pay for more than they actually order, systems must be implemented to bill customers for what the customers actually order and use, rather than what is sent to the customer.

In addition, because of the many choices available to customers from content providers, downloadable samples are becoming increasingly popular as a means of introducing a product to customers or enticing customers to purchase the product. Such

samples are also useful to advertisers or producers of auxiliary content, who wish to sponsor or otherwise be affiliated with the primary content provider. The cost and inventory requirements to provide actual samples of program and entertainment content, however can be quite high. The samples must be programmed or burned onto separate media, and then distributed to the customers through the appropriate sales or distribution channels. Because of cost and inventory overhead requirements, many content providers are unwilling or reluctant to provide such samples, thus depriving customers and retailers of useful sales tools. What is needed, therefore, is a system that allows content providers to provide both primary content as well as sample content on the same medium and charge customers based only on usage of the primary content.

20

5

#### SUMMARY AND OBJECTS OF THE INVENTION

It is an object of embodiments of the present invention to provide a digital media distribution system that allows primary content providers to distribute media containing several different products and to charge customers for product that is actually used rather than the product that is distributed.

It is a further object of embodiments of the present invention to provide a system that allows content providers to provide both primary content as well as sample content on the same medium and charge customers based only on usage of the primary content.

It is yet a further object of embodiments of the present invention to provide a system that allows secure transmission of primary content data and prevents customer use of product that is not purchased.

A flexible product distribution and payment system for computer network based electronic commerce is disclosed. Primary content data is made available to customers through a detachable local storage medium, such as a DVD or CD-ROM disc, or over a network connection. The primary content is capable of being accessed and played back through a computer or game console at the customer site. The primary content distribution may comprise a superset of content that is intended to be used by the customer. The customer is allowed to view and access the encoded primary content, and is charged only for the primary content that is used. Content that is encoded on the medium but that is not used by the customer remains on the medium but is not charged. A content database and customer database maintained at the primary customer site maintain records of products ordered and used by the customer, as well as identification and use patterns associated with the user. Authentication and use trigger data associated

with the distributed content alert the primary content server computer when customer use has occurred and when a charge to the customer is appropriate.

Other objects, features, and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description that follows below.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example and not limitation in the figures of the accompanying drawings, in which like references indicate similar elements, and in which:

Figure 1 illustrates a block diagram of a computer network system that implements embodiments of the present invention;

Figure 2 is a flowchart that illustrates sequential functions performed by the primary content server during communication with a networked game console, according to one embodiment of the present invention;

Figure 3 is a flowchart that illustrates sequential functions performed by the networked game console during communication with the primary content server, according to one embodiment of the present invention;

Figure 4 is a diagram that illustrates the data contents contained on a detachable storage medium inserted in the game console;

Figure 5 is a flowchart that illustrates the steps of distributing and charging for downloaded digital data, according to one embodiment of the present invention; and

Figure 6 is a block diagram of an electronic commerce business model that may be implemented in accordance with embodiments of the present invention.

20

5

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A use based compensation system for downloaded content over a computer network is described. In the following description, for purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be evident, however, to one of ordinary skill in the art, that the present invention may be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form to facilitate explanation. The description of preferred embodiments is not intended to limit the scope of the claims appended hereto.

Aspects of the present invention may be implemented on one or more computers executing software instructions. According to one embodiment of the present invention, server and client computer systems transmit and receive data over a computer network or standard telephone line. The steps of accessing, downloading, and manipulating the data, as well as other aspects of the present invention are implemented by central processing units (CPU) in the server and client computers executing sequences of instructions stored in a memory. The memory may be a random access memory (RAM), read-only memory (ROM), a persistent store, such as a mass storage device, or any combination of these devices. Execution of the sequences of instructions causes the CPU to perform steps according to embodiments of the present invention.

The instructions may be loaded into the memory of the server or client computers from a storage device or from one or more other computer systems over a network connection. For example, a client computer may transmit a sequence of instructions to the server computer in response to a message transmitted to the client over a network by

5

the server. As the server receives the instructions over the network connection, it stores the instructions in memory. The server may store the instructions for later execution, or it may execute the instructions as they arrive over the network connection. In some cases, the downloaded instructions may be directly supported by the CPU. In other cases, the instructions may not be directly executable by the CPU, and may instead be executed by an interpreter that interprets the instructions. In other embodiments, hardwired circuitry may be used in place of, or in combination with, software instructions to implement the present invention. Thus, the present invention is not limited to any specific combination of hardware circuitry and software, nor to any particular source for the instructions executed by the server or client computers.

Figure 1 is a block diagram of a computer network system that can be used to implement a usage based software charging system, according to one embodiment of the present invention. The system 100 of Figure 1 enables the transmission and display of primary media content, along with optional display of auxiliary media content. The term "primary media content" in the context of the specification and claims shall be understood to refer to a collection of downloadable contents which may consist of any one of video linear streaming data, such as motion picture data in MPEG or MPEG2 format; linear audio streaming data, such as music data in MP3 format; binary program data; or any combination of such data or similar data. In general, primary media content does not include services or data that are used solely to provide access to a network, such as browser software or protocol handlers whose main function is only to establish a network connection.

As shown in Figure 1, system 100 includes a server side system 110 comprising a download service management server 102, a customer database 104, and a contents database 106, which are interconnected by a local area network (LAN) 101. The primary media content is stored in a contents database 106, which makes up part of the server side system. The customer database 104 stores a collection of data about individual customers who access the download service through a bi-directional network 108. The data for each individual customer may consist of the customer's name, home address, age, gender, occupation, income, hobbies, purchasing history, preferences, and other descriptive information that might be useful to vendors or advertisers who are using the system. Such data may not be static, but instead may be updateable based on a user's access history of the primary content data. For example, the data may be updated to reflect which primary contents are accessed and/or how many times a given category (e.g., type of music, genre of movies, and so on) of primary contents are accessed. This enables content providers and advertisers to tailor their messages and content more effectively to a given customer.

The download service management server 102 is a server system that is configured to handle download requests from a user. Access to the server 102, which may comprise one of several servers, is facilitated typically through a router on the LAN 101, which directs requests to the download management server 102. When the server 102 receives requests from a user, the server executes a download of requested primary media content from the contents database 106. Along with processing requests for downloading of primary media content, the server 102 may also retrieve the requesting user's customer data from the customer database 104 and attach it to the requested

20

5

10

primary contents. This data is then transmitted via the network 108 by means of a known networking protocol standard, such as the file transfer protocol (ftp).

The network 108 is normally a bi-directional digital communications network that connects the user's terminal hardware with the download service management server 10 provided on the server side of the system. With current technologies, a CATV (cable television) bi-directional network, ISDN (Integrated Services Digital Network), DSL (Digital Subscriber Line), or xDSL high-speed networks are examples of existing network infrastructures enabling the necessary network connections for implementing embodiments of the present invention.

The client side 120 of the system configuration shown in Figure 1 comprises a modem or network adapter 112, a networked game console 114, which utilizes a detachable storage medium 122 therein, and a TV monitor or any other suitable display device 118 connected to the game console 114. The modem or network adapter 112 is a device that is used to connect the client's terminal hardware, in this case the game console 114, for connection to the network 108. For example, if network 108 is a CATV network, modem 112 may be implemented as a cable modem device; and if network 108 is an ISDN network, modem 112 may be implemented as a terminal adapter.

In one embodiment of the present invention, the detachable storage media 122 stores a collection of interactive or non-interactive auxiliary content, such as computer games, movies, music clips, or advertisements which can be made up of video images, animations, sounds, applets, and so on. In one embodiment, the detachable storage media 122 comprises a CD-ROM or DVD disc. For the embodiment illustrated in Figure 1, the detachable storage media 122 is a packaged storage media that stores software programs

that are used by the client system 120 to access the server system 110 over network 108. The packaged storage media also includes a download management software program that controls the downloading of primary content data from the contents database 106 to the networked game console 114. The client system 120 also includes a re-writeable storage media 116 coupled to the networked game console 114. During normal operation, the networked game console 114 transfers data from the packaged storage media 122 onto the re-writeable storage media for temporary or medium term storage and execution. The re-writeable storage media 116 can also be used to store data or programs downloaded by the client system 120 over network 108. The re-writeable storage media 116 may be implemented as a hard disk drive (HDD), flash memory device, or other suitable non-volatile memory device that attaches to the game console 114 through a port connection.

The networked game console 114 is a network connectable playback device of interactive digital contents. Such a game console 114 normally utilizes the packaged storage media 122 as a contents distribution media in a non-networked environment. In other words, under ordinary use, the game console 114 is capable of playing back media contained on the packaged storage media 122, which is normally an interactive video program (such as a game) even if the game console 114 is not connected to the network 108. In an alternative embodiment of the present invention, the packaged storage media 122 is used in a networked environment and operates in conjunction with downloaded primary content retrieved through a network connection, in order to provide linked or associated user-customized auxiliary content. Such auxiliary content could be provided

5

by the primary content provider server system 110, or by a separate server maintained by an auxiliary content provider or other primary content provider (not shown).

The network game console 114 executes network access software which is loaded from the packaged storage media 122 or other internal storage medium, or which may be downloaded from the network, into an internal memory space. As stated above, the network access software allows the network game console to communicate with the download service management server 102. The packaged storage media 122 also contains download management software. This software allows the networked game console 114 to perform various tasks. These include: scheduling downloading of contents from the contents database 106 of server system 110 and writing the downloaded contents into the re-writeable storage media 116; recording the usage history when the downloaded contents is used or otherwise accessed by the user so that the user can be charged a fee based on the usage of the contents; communicating such usage to the customer database 104 so that customer usage history and billing information can be updated; and expiring undesired or unpopular contents that are not used by the user after a certain period of time or that is explicitly requested to be removed by the user.

In one embodiment of the present invention, the software required to access the network from the user site and download the primary content is provided on the packaged storage media 122. The primary content is then provided over the network 108 from the server system 110 upon request by the client system 120. Alternatively, the network access software can also be provided over the network 108 for storage in the re-writeable storage media 116. In yet a further alternative embodiment, both the network access

20

10

5

software and primary content can be provided to the user on one or more packaged storage media 122.

The primary content provider can supply customized versions of the download management software that contain various types of content and network access programs. For example, the content may comprise digital content such as computer games, music clips, full-length audio and video programs, movies, still picture data, and other similar types of content. The content might further comprise promotional or advertising data associated with the primary content, such as movie previews, demo games, sample data, and other similar types of content that facilitate the user's selection of the distributed product.

Figure 2 is a flowchart that illustrates sequential functions performed by the download service management server 102 during communication with a networked game console 114, according to one embodiment of the present invention. In addition, Figure 3 is a flowchart that illustrates sequential functions performed by the networked game console 114 during communication with the download service management server, according to one embodiment of the present invention. In general, the process steps shown in Figures 2 and 3 occur in a mutually exchanged fashion, therefore, these steps will be described together.

In step 201 on the server side, the download service manager 102 receives a request to establish a communication link from the network game console 114. Similarly, in step 301 on the client or networked game console side, a request is sent to establish communication with the download service management server 102. In one embodiment, a network socket connection according to known standards (e.g. TCP/IP)

5

for bi-directional transmission of data packets is used to establish data communication between the management server 102 and the networked game console 114.

In step 311, after the communication link has been established, a unique media ID indicating the packaged storage media 122 installed in the game console 114 is sent to the download service management server 102. In the event of a first time user, the media ID is associated with the user and is thereafter used as a user identifier. In step 211 on the server side, the management server 102 receives the media ID. After receiving the unique media ID, in step 221 on the server side, the management server 102 retrieves, via LAN 101, user information associated with the media ID. In the case of a new user, such information may not exist in the customer database 104, so that the user may be prompted to supply basic information for establishing initial user information for the customer database 104.

At this point, in step 321 on the game console side, a request is sent to the download service management server 102 to retrieve downloadable primary content from the contents database 106. When the server receives the user's request for downloadable content in step 231, the download management server 102, via LAN 110, finds and extracts the requested content from the contents database 106 in step 241. Next, in step 251, the user information retrieved in step 221 is attached to the requested primary content extracted in step 241, and the user information together with the requested primary content are transmitted to the networked game console 114 in step 261.

On the client side, in step 331 the game console 114 receives the requested primary content along with the attached user information. In step 351, a record is stored in an internal memory (not shown) of the game console 114 of all the primary content

5

items which have actually been used or viewed by the customer. Such a record may comprise an identifier of the primary content items that were viewed, and the duration for which an auxiliary content item was viewed if it was not played in its entirety. Such use or viewing constitutes a revenue bearing use that can be charged for by the content provider through the download management server 102.

In step 361, the game console 114 sends the record established in step 351 to the download management server 102, which in turn receives the playback record in step 271. The transmittal of this record may be sent in any of various ways, for example as a comprehensive record at the end of user activity which is uploaded to the server during a sign-off procedure, or intermittently as each primary content item is viewed. As discussed above, the playback record, which is stored in the customer database 104 in step 281, provides valuable feedback information to auxiliary content providers, such as advertisers, as to whether the auxiliary content was effective for a given target audience, and may also be used as a basis for assessing fees to the auxiliary content providers.

The primary service provider then generates and distributes an appropriate invoice or other payment processing means to the user based on the user's access of the primary content data, step 291.

In one embodiment of the present invention, a superset of primary data is distributed to the user either by means of network download of packets of data or through the distribution of detachable media, such as packaged storage media 122. The user has the option of accessing and using all of the data contained in the primary content or accessing only a subset of the primary content data. In either event, the user is charged only for the portion of data that is accessed and used. In one embodiment, the revenue

bearing access by the user is detected by the download service management server 102 by means of trigger data that is encoded in the primary content data itself. More specifically, a specific portion of the primary content data referred to as "billing trigger data" is contained as a header with each piece of primary content. If this portion of the data is accessed or otherwise used by the user, the trigger data is transmitted to the download service management server 102 over network 108 to indicate the presence of a revenue bearing event with respect to that portion of the data. The trigger data portion of the code might be used to record the primary content items actually loaded and played on the networked game console 114, along with the times and duration during which the primary content was played, or any other information obtained during playback of the primary content. This information may be stored in a data storage area of the game console 114, and uploaded to the server 102 at any suitable time, such as after a given piece of primary content has been played, or during a sign-off process of the game console 114 from the network connection.

The viewed contents record, particularly the times and duration for which a given piece of auxiliary content was viewed, are used as a basis for assessing a fee to the user of the networked game console 114. Furthermore, the viewed contents record also enables customer information stored in the customer database 104 to be updated to include new information gained during viewing or interaction between the customer and the primary content. For example, in the case of an interactive piece of primary content, various questions may be asked of the user, or other user behavior monitored, which can then form part of the viewed contents record and be used for updating information on the customer in the customer database 104. In the case of non-interactive content,

5

information regarding which programs or content was viewed can be used to update customer information.

Figure 4 is a diagram of primary data contents 400 that is downloaded to the networked game console 114. The primary data stream 400 includes the primary content portion 403 that is to be viewed by the user of the game console. The primary content 403 is made up of one or more content items 415, each of which is appended to a set of billing trigger data 419.

The data stream 400 further includes a unique media identification section 407, which serves to identify the packaged storage media (such as an alphanumeric CD-ROM/DVD serial number), and which also establishes a user identifier for the user who utilizes the packaged storage media 122 in the game console 114. Also included is an authentication or authorization code section 409, which is used for authenticating access to the download service manager 102. It is conceivable that the media ID section 407 and the authentication code section 409 could be the same, although preferably the functions of server access and media/customer identification are facilitated by separate codes. Alternatively, the media ID section 407 may comprise a software program that generates a unique user identifier in association with a prompt for a user input of initial user data, such as the name and address of the user. It should be noted that once the media ID 407 becomes associated with user information, the media ID 407 serves as a user identifier, so these terms may be used interchangeably hereinafter.

The media ID 407 and authentication code 409 also serve jointly as an enabling key through which access to given primary content is authorized by the content server 102. More specifically, when the media ID 407 is uploaded to the server 102, on the

20

5

10

the basis of the media ID 407, the server 102 can determine which primary contents, from among multiple contents in the contents database 106, are authorized for access to the user on the basis of the user identifier. Should such a media identifier not be present, or be deemed to be incorrect or outdated, access to the content server 102 is suspended.

Thus, the correct packaged storage media 122 must be present in the game console, and a correct and non-outdated media identifier must be determined, in order for access to the server 102 to be authorized. Another possibility is that the authorization code 409 provides access to a given server dedicated for downloading of a specified primary content from among multiple contents in the contents database 30. Such a mechanism can be used for example, as a filter for certain user types (e.g., children) with regard to the content that is available in contents database 106.

The content data stream 400 additionally contains a net access indicator 411 that the packaged storage media 122 is intended for interaction with the server 102 in a networked environment. The net access indicator 411 may itself comprise network access software which enables the necessary network connection, or it may simply comprise a flag indicating that network software residing in the game console 114 includes a small program for establishing a minimal network connection to enable more versatile network software to be downloaded from the server and executed in the game console 114.

The billing trigger data 419 is used to store or provide various parameters that control the use of the appended primary data content 415, and can be used to report usage to the download service management server 102. In one embodiment, the primary content 415 may be data that expires after a certain period of time that the data is not used

20

5

or accessed. For this embodiment, the trigger data 419 comprises a count value that is stored in the re-writeable storage media 116. As time elapses, the trigger data count is increased until a pre-defined maximum count is reached. If the associated content data 415 is accessed, the count is stopped. If the maximum count is reached, the associated primary content expires. This is typically accomplished by causing the game console 114 to erase the portion of the re-writeable storage media 116 that stores the content, or marking this area as available for re-writing. Besides a time count, various other non-use or abuse parameters can be programmed into the trigger data. For example, if the content 415 is accessed too many times or is attempted to be accessed by an unauthorized user, as determined by the media ID 407 and/or authentication code 409, the content data can be caused to be erased.

Figure 5 is a flowchart illustrating the process steps undertaken in the networked game console 114 prior to and during a network connection with the primary content server 102, according to one embodiment of the present invention.

In step 502 when the game console is turned on, a standard boot sequence is initiated through an internal BIOS for enabling essential communications between peripheral devices and the like, whereby the system is initialized for operation by the user.

For a networked based access to the content provider server and download management server (which may be the same or different servers), a bi-directional network connection is established in step 504. In this case, an authorization code on the packaged storage media may used to enable the network connection.

5

In step 506, the primary content requested by the customer is downloaded into the networked game console 114 from the content provider server. As was described in relation to Figures 2 and 3, the desired primary content may have attached thereto certain user information that is associated with the user ID from the customer database 104. As for determining which primary content is authorized and hence downloadable to a given user, the user may be presented with a menu option which displays only those primary content items, from among all items contained in the contents database 106, that are authorized to the user for downloading and viewing, thereby facilitating selection by the user.

In one embodiment, download of primary content data may be scheduled to occur at a particular time, or at regular pre-determined intervals of time, such as for subscription products (e.g., on-line magazines), or updateable products.

In step 508, usage of the primary content by the user is recorded and stored in the customer database 104. This records the content that is actually used or accessed by the user and can be indicated to the server by means of the trigger data illustrated in Figure 4 or through other similar indication means. Such means may include a data message that is automatically transmitted to the content provider as soon as a section of primary content in the downloaded data stream is accessed.

Certain primary data transmitted to the user may be time sensitive data that is programmed to expire after a certain period of time or after a certain number of uses.

These could include, for example rental programs or movies, or the like. In step 510, the system check to see whether any time sensitive data has expired. For such time sensitive

5

data, the unused or unaccessed primary data is expired, step 510. The process then ends when the content provider charges the user for the used primary data, step 512.

Figure 6 is a block diagram illustrating an exemplary business model that can be implemented according to the embodiments of the present invention. The basic business model presumes that the downloadable primary content 604 from the contents database of the content provider 602 comprises a popular interactive game, movie, music or any other digital content that may be purchased by user 606.

Upon request by the user 606, downloadable primary content 604 is transmitted over a network from the content provider 602 to the user 606. The content 604 may comprise a large amount of software or content products, such as a collection of games, songs, movies, or any combination thereof, or similar items. The user need not have specified in advance exactly which items were desired, but instead specified a pre-existing collection of product available from the user. Depending upon use, a record is created in a customer database stored at a download manager server site. Based on the use record which is created for the user, the content provider 602 can collect a payment 608 from the user 606 based on the downloaded product that is actually used or viewed.

In an alternative embodiment, the content 604 is a software product or digital product that is available to user 606 on a rental basis. The content 604 in this case is charged for by the content provider 602 based on the rental use by the user 606. After the specified rental period has elapsed, the program or content automatically expires. This eliminates the need for the user to return the media to the content provider, or otherwise prove to the content provider that the product has been discarded or rendered unusable if it is stored in a user storage device 612.

In one embodiment, the content may be provided to the user by an auxiliary content provider 610. The auxiliary content provider may provide revenue-bearing content to be paid for by the customer, or it may provide auxiliary content that is to be associated with the primary content 604 provided by the content provider 602. Such auxiliary contents are typically advertisements from various auxiliary content providers 100, which may be commercial companies or the like. The auxiliary providers may be partners or affiliates of the content provider that provide certain services for the content providers, for example demographic data collection. In this case, the auxiliary content may be content such as user surveys and such, some of which may expire after a certain period of time, so as not to overly impact upon the user.

In an alternative embodiment of the present invention, the flexible product distribution scheme can be used by parties that reward customers for use, rather than charge a fee. For example, if the user elects to view or access a message or program, such as an advertisement or program that is to be tested, the user can be compensated either by money or other creditable units such as product vouchers, coupons, airline miles, and similar items.

In the foregoing, a system has been described downloading primary content from a content provider to a user and charging the user only for the portions of the primary content that were used. Although the present invention has been described with reference to specific exemplary embodiments, it will be evident that various modifications and changes may be made to these embodiments without departing from the broader spirit and scope of the invention as set forth in the claims. Accordingly, the specification and drawings are to be regarded in an illustrative rather than a restrictive sense.

#### **CLAIMS**

5

10

15

20

What is claimed is:

1. A system for providing access to primary media content in digital form, comprising:

a server network comprising a download management server, a customer database storing user information, and a primary content database storing primary media content;

a client console connectable for establishing a communications link through a bidirectional communications network to said download management server;

a detachable storage media installable in said client console; said detachable storage media having a data structure thereon comprising at least one of a user identifier and a media identifier, wherein

the server network is configured to transmit to the client console a plurality of media content items upon request by a user of the client console, and wherein a content provider providing data through the primary content database charges the user only for items used by the user.

2. The system according to claim 1, wherein a user identifier is uploaded to said download management server to enable access to specified content in said primary media content database, and said user information is downloaded into said client console to trigger execution of specified revenue bearing events, wherein said user identifier comprises an alphanumeric media ID identifying said detachable storage media.

20

10

- 3. The system according to claim 2, wherein said specified content comprises a portion of an overall set of primary contents stored in said contents database, and wherein said media ID serves to limit access to said specified content only.
- 5 4. The system according to claim 1, wherein said data structure comprises an authentication code for authenticating access to the download management server.
  - 5. The system according to claim 4, wherein said specified content comprises a portion of an overall set of primary contents stored in said contents database, and wherein said authentication code authenticates access to the download management server which is responsible for providing access to said specified content.
  - 6. The system according to claim 1, wherein the media items comprise a plurality of trigger data items logically associated, respectively, with each of said primary media content items, and wherein the trigger data items are used to compile and store a usage history of the primary content items in the customer database.
  - 7. The system according to claim 6, wherein said data structure further comprises a data indicator indicating that said detachable storage media is operable through connection to said bi-directional communications network, and further wherein said data indicator comprises one of a program for providing network access and a code which causes execution of a program stored in said media console for providing network access.

15

20

- 8. The system according to claim 1, wherein said client console further comprises a local fixed storage device disposed internally or externally of said client console, wherein said requested primary media content is downloaded only said fixed storage device.
- 5 9. A method for delivery of primary media content in digital form through a bidirectional communications network, together with auxiliary media content stored on a detachable storage media, comprising the steps of:

establishing a communications link between a client console and a download management server through said bi-directional communications network, said client console having said detachable storage media detachably installed therein;

transmitting user identifier data contained on said local storage media and a request for primary media content to said download management server, in order to retrieve said primary media content from a contents database;

downloading into said client console from said download management server said primary media content;

recording usage of primary media content by the user;

charging the user for the primary media based on portions of the primary media actually used.

10. The method according to claim 9, wherein said user identifier data comprises an alphanumeric media ID identifying said detachable storage media and said local storage media further contains an authentication code which enables access to said download management server, further comprising the step of receiving said media ID and said

15

20

authentication code in said download management server, wherein one of said authentication code and said media ID serves to limit access to specified content only from among said primary media content.

- The method according to claim 9, the media content comprises one or more data content items associated with a respective payment trigger item, said payment trigger item operable to compile and store usage information of the media content in a customer database.
  - 12. The method according to claim 9, wherein said step of downloading into said client console from said download management server comprises storing said primary media content on a local fixed storage device disposed internally or externally of said client console.
  - 13. A method of operating a client console having a detachable storage media installable therein while connecting with a download management server through a bidirectional communications network, comprising the steps of:

downloading primary content data from a content server to a client computer upon request by a user;

scheduling downloading of the contents from a contents database of content server;

writing the downloaded contents into a re-writeable storage media coupled to the client computer

15

recording a usage history of the downloaded primary content data when the downloaded contents is used or otherwise accessed by the user; and charging a fee based on the usage of the contents.

- The method according to claim 13, further comprising the step of communicating usage of the primary contents to a customer database maintained by the content provider.
  - 15. The method according to claim 14, wherein the downloaded primary content comprises time sensitive content data, and further comprising the step of deleting expired contents that are not used by the user upon the occurrence of a pre-determined event.
  - 16. The method according to claim 15 wherein the pre-determined event comprises the lapse of a specified period of time.

#### ABSTRACT OF THE DISCLOSURE

electronic commerce is disclosed. Primary content data is made available to customers through a detachable local storage medium, such as a DVD or CD-ROM disc, or over a network connection. The primary content is capable of being accessed and played back through a computer or game console at the customer site. The primary content distribution may comprise a superset of content that is intended to be used by the customer. The customer is allowed to view and access the encoded primary content, and is charged only for the primary content that is used. Content that is encoded on the medium but that is not used by the customer remains on the medium but is not charged. A content database and customer database maintained at the primary customer site maintain records of products ordered and used by the customer, as well as identification and use patterns associated with the user. Authentication and use trigger data associated with the distributed content alert the primary content server computer when customer use has occurred and when a charge to the customer is appropriate.





FIG.1






FIG.3






FIG.4




FIG.5

- 600




FIG.6

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	) Group Art Unit:	Not Yet Assigned
Masayuki Chatani	) Examiner:	Not Yet Assigned
Serial No.: Not Yet Assigned	) ) ) DOWED OF AT	PODNIEW
Filed:	) POWER OF AT	IORNEY
For: NETWORK-BASED METHOD AND SYSTEM FOR TRANSMITTING DIGITAL DATA TO A CLIENT COMPUTER AND CHARGING ONLY FOR DATA THAT IS USED BY THE CLIENT COMPUTER USER	) ) ) ) ) ) ) ) ) )	
Box Patent Application		

Box Patent Application Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Sony Computer Entertainment America, assignee of the above-identified application, by assignment dated \_\_7/28/2000\_, hereby appoints the members of the firm of DERGOSITS & NOAH LLP, a firm composed of Michael E. Dergosits (Reg. No. 31,243), Todd A. Noah (Reg. No. 35,626), Richard A. Nebb (Reg. No. 33,540), Laurie J. Mintz (Reg. No. 35,957), Geoffrey T. Staniford (Reg. No. 43,151), Paul K. Tomita (Reg. No. 43,196) and Andrew B. Schwaab (Reg. No. 38,611) Four Embarcadero Center, Suite 1150, San Francisco, California 94111, (415) 705-6377, (415) 705-6383 (fax), as its attorneys with full power of substitution to prosecute this application and to transmit all business in the Patent and Trademark Office in connection therewith.

Please direct all correspondence regarding this application to the following:

Michael E. Dergosits Dergosits & Noah LLP Four Embarcadero Center, Suite 1150 San Francisco, California 94111 (415) 705-6377

Dated: 7/31/10

Kazuo Hirai

President

Japanese Language Declaration			
日本語宣言書			
私は、以下に記名された発明者として、ここに下記の通り宣言する:	As a below named inventor, I hereby declare that:		
私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通 りである。 -	My residence, post office address and citizenship are as stated next to my name.		
下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初、最先且つ唯一の発明者である(唯一の氏名が記載されている場合)か、或いは最初、最先望の共同発明者である(複数の氏名が記載されている場合)と信じている。	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled		
	NETWORK-BASED METHOD AND SYSTEM FOR TRANSMITTING DIGITAL DATA TO A CLIENT COMPUTER AND CHARGING ONLY FOR DATA THAT IS USED BY THE CLIENT COMPUTER USER		
上記発明の明細書はここに添付きれているが、下記の翻がチェック きれている場合は、この限りでない:	the specification of which is attached hereto unless the following box is checked:		
□	was filed on as United States Application Number or PCT International Application Number and was amended on (if applicable)		
私は、上記の補正書によって補正された、特許請求範囲を含む上記 明細書を検討し、且つ内容を理解していることをここに表明する。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.		
私は、連邦規則法典第37編規則1.56に定義されている、特許 性について重要な情報を関示する義務があることを認める。	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.58		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

### Japanese Language Declaration (日本語宣言書)

私は、ここに、以下に記載した外国での特許出版または発明者証の 出版、或いは米国以外の少なくとも一国を指定している米国法典第3

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent

5編第365条(a)によるPCT国際出版について、同第119条(a) (d) 項又は第365条(b) 項に基づいて優先権を主張するとともに、優先権を主張する本出版の出版日よりも前の出版日を有する外国での特許出版または発明者証の出版、或いはPCT国際出版については、いかなる出版も、下記の枠内をチェックすることにより示した。		or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filling date before that of the application for which priority is claimed		
Prior Foreign Application(s) 外国での先行出額			Priority Not Claimed 優先権主張なし	
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願日/月/年)		
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願日/月/年)		
   私は、ここに、下記のいかなる    国法典第35編119条 (e) 項の利	*国仮特許出顧についても、その米  益を主張する。	I hereby claim the benefit under 119(e) of any United States prov	Title 35, United States Code, Section isional application(s) listed below	
(Application No.) (出願番号)	(Filing Date) (出版日)	(Application No.) (出版番号)	(Filling Date) (出顧日)	
奥第35編第120条に基づく利益なるPCT国際出版についても、できままする。また、本出版の各特におりても、第1版に規定をおいていない。 ででは、10版目と本国内出版日またはPCT国際出版日と本国内出版日またはPCT	弁請求の範囲の主題が、米国法典第 1.た態様で、先行する米国出版又は い場合においては、その先行出版の Γ国際出版日との間の期間中に入手 7.編規則1.56に定義された特許	120 of any United States application designational application designation and, insofar as the subject matter application is not disclosed in the International application in the mof Title 35, United States Code Sto disclose information which is r	ing the United States, listed below r of each of the claims of this prior United States or PCT anner provided by the first paragraph ection 112, I acknowledge the duty material to patentability as defined in tions, Section 1.56 which became of the prior application and the	
(Application No.) (出版番号)	(Filing Date) (出版日)	(Status: Patented, Pending, Abandoned) (現況:特許許可、係属中、放業)		
(Application No.) (出願番号)	(Filing Date) (出版日)	(Status: Patented, Pending, A (現況:特許許可、係基中、		
且つ情報と信ずることに基づくほう を宣言し、さらに、故意に虚偽の 第18編第1001条に基づき、 により処罰され、またそのような	の知識に係わる陳述が真実であり、 述が、真実であると信じられること 理述などを行った場合は、米国法典 可金または拘禁、若しくはその両方 放意による虚偽の陳述は、本出題が なる特許も、その有効性に同題が なるわたことを、ここに宜する。	were made with the knowledge the like so made are punishable by for Section 1001 of Title 18 of the U	statements made on information e; and further that these statements hat willful false statements and the line or imprisonment, or both, under	

Japanese Language Declaration (日本語宣言書)			
	•		
		*	
唯一または第一発明者氏名	······································	Full name of sole or first inventor	
		CHATANI, Masayuki	
発明者の署名	日付	Inventor's signature Invaguki Chatarii	Date 7/28/2000
住所		Residence Malarm	112012000
		Foster City, California	,
国籍		Citizenship	
#		Japanese	
郵便の宛先		Post Office Address 919 E. Hillside Bl., 21	nd Floor
		919 E. Hillside Bl., 2 Foster City, California	a 94404
200			
第二共同発明者がいる場合、その氏	者	Full name of second joint inventor, if any	
第二共同発明者の署名	日付	Second inventor's signature	Date
At the			
住所		Residence	
<b>国籍</b>		Citizenship	
郵便の宛先		Post Office Address	
L			
(第三以下の共同発明者についても同すること)	様に記載し、署名を 	(Supply similar information and signature joint inventors.)	for third and subsequent